

shp 320 lb

Work Order ID 78086

78086

Page 1

December-28-11 3:29:23 PM

Item ID: D3844-3KGY

Accept

N900040100

Setup Start *NS1*

Revision ID:

Item Name: Duct, Overhead Panel, LH

Stop *NS2*

Start Date: 28/12/2011 Start Qty: 1.00

1

Cust Item ID:

Required Date: 16/01/2012 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: M.C.5 Date: 11/12/28 Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3844	B

100 0.00

100

HandThermo

Memo

0.00

Hand Finishing Thermoforming

1-Cut Sheet to required Blank size

Dh
12/01/04

105 0.00

105

HandThermo

Dry Material

Memo

0.00

Hand Finishing Thermoforming

Dry Sheet as per QSI022 KYDEX

Temp: 150°F

Time IN: 4:30 pm

Time OUT: 4:30 am

12/01/03
12/01/04

Dh
12/01/04

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 78086

December-28-11 3:29:23 PM

78086

Page 2

Item ID: D3844-3KGY Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Duct, Overhead Panel, LH
 Start Date: 28/12/2011 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 16/01/2012 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
110 *110* Thermoform Thermoforming Machine	Memo 1-Machine Set-Up 2-Pre-heat Tool to required temp. 3-Thermoform as per Dwg and Folio #FTA070 using tool DT9290-A Dwg Rev: <u>13</u> Folio Rev: <u>13</u>	0.00 0.00							<u>Dh</u> <u>12/01/04</u>
120 *120* QC Quality Control	QC2- Inspect parts off machine FAI/FAIB Memo Visually inspect part for proper formation and texture	0.00 0.00							<u>Dh</u> <u>12/01/04</u>
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.00							<u>B</u> <u>12/01/04</u>

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78086

Page 3

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 28/12/2011 **Start Qty:** 1.00 ***1***

Cust Item ID:

Required Date: 16/01/2012 **Req'd Qty:** 1.00 *** 1 ***

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

140

0.00

140

0.00

HandThermo

Hand Finishing Thermoforming

Memo

1-Trim to finished dimensions as per Dwg

150

0.00

150

0.00

QC

Quality Control

Memo

Complete FAI document

160

0.00

160

0.00

QC

Quality Control

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 78086

December-28-11 3:29:23 PM

78086

Page 4

Item ID: D3844-3KGY Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Duct, Overhead Panel, LH
 Start Date: 28/12/2011 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 16/01/2012 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
170	Identify as per dwg & Stock Location: <u>THERMO</u>	0.00							
170	<u>ATTN WO # 28082</u>								<u>WT</u>
Packaging	Memo	0.00							<u>12/01/12</u>
Packaging									
180	QC21- Final Inspection - Work Order Release	0.00							
180									<u>12/11/18</u>
QC	Memo	0.00							<u>DJ</u>
Quality Control									

12-01-18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

December-28-11 3:29:28 PM

Page 1

Work Order ID: 78086

78086

Parent Item: D3844-3KGY

D3844-3KGY

Parent Item Name: Duct, Overhead Panel, LH

Start Date: 28/12/2011

Required Date: 16/01/2012

Start Qty: 1.00

Required Qty: 1.00

Comments: Ipp Rev. A New Issue 10/04/21 DL

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MKYD6185S.080-P3-52068		Purchased	No			100	sf	1,011.893	5.8819	6.191474			

MKYD6185S 080-P3-52068

Kydex steel grey

Location

therm

Loc Qty

1011.893107

10.4896282

1001.40348

Loc Code

111807

119476

6.191474 of 4.

12/01/13

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order: 78086
Description:	Part Number: D3844-3KGY
Inspection Dwg: D3844 Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST
THERMOFORMING SECTION

Description	Accept	Reject	Method of Inspection	Comments
Inside Radii less than <u>Yg</u> "	✓			
Shape Definition	✓			
Texture Retention	✓			
Material imperfections such as bumps, cracks, voids, scratching	✓			

Measured by: <u>Sh</u>	Date: <u>12/01/04</u>
-------------------------------	------------------------------

TRIMMING SECTION


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
7.4 "	Ref.	7.75"	✓			
4.6 "	Ref.	4.8"	✓			
3.6 "	Ref.	4.25"	✓			
2.0 "	Ref.	1.68"	✓			
25.0"	Ref.	25.25"	✓			
0.030"	MIN	0.064"	✓			

Measured by: <u>Sh</u>	Date: <u>12/01/13</u>
Audited by: <u>S</u>	Date: <u>12/01/13</u>
Preliminary Approval:	Date:

Rev	Date	Change	Revised by	Approved
B	10.04.14	Added preliminary approval	KJ	

10.04.14

ITEM	QTY -041 KIV	QTY -041 KGY	PART NUMBER	DESCRIPTION
	X		D3844-041KIV	OVERHEAD PANEL WITH DUCT, LH (IVORY)
		X	D3844-041KGY	OVERHEAD PANEL WITH DUCT, LH (STEEL GRAY)
1	1		D3844-1KIV	OVERHEAD PANEL, LH (IVORY)
2		1	D3844-1KGY	OVERHEAD PANEL, LH (STEEL GRAY)
3	1		D3844-3KIV	DUCT, OVERHEAD PANEL, LH (IVORY)
4		1	D3844-3KGY	DUCT, OVERHEAD PANEL, LH (STEEL GRAY)
10	A/R	A/R	EZ250150	ADHESIVE, 3M SCOTCH WELD



D3844-041 OVERHEAD PANEL WITH DUCT, LH

SHOP COPY
RETURN TO
HEADQUARTERS
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WHILE IN USE
WORK CENTER

NO. 38086 M.L.J
1112128

RELEASED
2010-01-06
MP

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D3844-041KIV OR D3844-041KGY USING VIBRATING STYLUS
- 7) WEIGHT: 1.7 lbs
- 8) TRIM PARTS AS REQUIRED TO ALLOW PROPER MATING
- 9) SEAL MATING EDGES WITH EZ250150 ADHESIVE ALONG MATING PERIMETER WITH MINIMUM THICKNESS OF 0.020"

B	ADD -3/-4/-041/-042	PH	09.12.15
A	NEW ISSUE	PH	09.06.18
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3844	SHEET 1 OF 6
APPROVED		TITLE	SCALE
DE APPR.		OVERHEAD PANEL (206 L3/L4)	NTS
DATE	09.12.15	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78086

ITEM	QTY -042 KIV	QTY -042 KGY	PART NUMBER	DESCRIPTION
	X		D3844-042KIV	OVERHEAD PANEL WITH DUCT, RH (IVORY)
		X	D3844-042KGY	OVERHEAD PANEL WITH DUCT, RH (STEEL GRAY)
1	1		D3844-2KIV	OVERHEAD PANEL, RH (IVORY)
2		1	D3844-2KGY	OVERHEAD PANEL, RH (STEEL GRAY)
3	1		D3844-4KIV	DUCT, OVERHEAD PANEL, RH (IVORY)
4		1	D3844-4KGY	DUCT, OVERHEAD PANEL, RH (STEEL GRAY)
10	A/R	A/R	EZ250150	ADHESIVE, 3M SCOTCH WELD



D3844-042 OVERHEAD PANEL WITH DUCT, RH

RELEASED
2010-01-06
mp

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D3844-042KIV OR D3844-042KGY USING VIBRATING STYLUS
- 7) WEIGHT: 1.7 lbs
- 8) TRIM PARTS AS REQUIRED TO ALLOW PROPER MATING
- 9) SEAL MATING EDGES WITH EZ250150 ADHESIVE ALONG MATING PERIMETER WITH MINIMUM THICKNESS OF 0.020"

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	PH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	Q2	DRAWING NO.	REV. B
MFG. APPR.	DP	D3844	SHEET 2 OF 6
APPROVED	AMP	TITLE	SCALE
DE APPR.		OVERHEAD PANEL (206 L3/L4)	NTS
DATE	09.12.15	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector





Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78086

**D3844-1 OVERHEAD PANEL, LH****NOTES:**

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 1.1 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9290-B PER DART QSI 022. TRIM PER MOLD.
- 9) MINIMUM THICKNESS: 0.045" UNLESS OTHERWISE NOTED

PART NUMBER	DESCRIPTION
D3844-1KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3844-1KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	PH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	QP	DRAWING NO.	REV. B
MFG APPR.	JMD	D3844	SHEET 3 OF 6
APPROVED	JMD	TITLE	SCALE
DE APPR.	JMD	OVERHEAD PANEL (206 L3/L4)	NTS
DATE	09.12.15	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
2010-01-06
MP

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78086



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78086



D3844-3 DUCT, OVERHEAD PANEL, LH

RELEASED
2010-01-06

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 0.6 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9290-A PER DART QSI 022. TRIM PER MOLD.
- 9) MINIMUM THICKNESS: 0.030 UNLESS OTHERWISE NOTED

PART NUMBER	DESCRIPTION
D3844-3KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3844-3KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PH		
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	PH	D3844	SHEET 5 OF 6
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	OVERHEAD PANEL (206 L3/L4)	NTS
DATE	09.12.15	<small> COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON OR WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. </small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

78086



D3844-4 DUCT, OVERHEAD PANEL, RH

RELEASED
2010-01-06
106

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 0.6 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9291-A PER DART QSI 022. TRIM PER MOLD.
- 9) MINIMUM THICKNESS: 0.030 UNLESS OTHERWISE NOTED

PART NUMBER	DESCRIPTION
D3844-4KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3844-4KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	PH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	GP	DRAWING NO. D3844	REV. B
MFG. APPR.	SA		SHEET 6 OF 6
APPROVED	WJ	TITLE OVERHEAD PANEL (206 L3/L4)	SCALE NTS
DE APPR.	HA		
DATE	09.12.15	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries